

KPPD
Szczecinek S.A.

PRODUCT CATALOG ZPD Kołacz









Kitchen worktops

- **beech (natural or steamed)**
- **oak**

- natural
- oiled (transparent and opaque oil)

Quality	Thickness mm	Width mm	Length mm
AB, BC	27-28	up to 1200	up to 4500
	38-40		

Gluing: finger-jointing and full staves.

Edge rounding /chamfering possible.

Positive Opinion of National Institute of Hygiene allowing the use of boards in the food industry.

KPPD Szczecinek S.A.







Table tops / Coffee table tops

- **beech (natural or steamed)**
- **oak**

- natural
- oiled (transparent and opaque oil)

Quality	Thickness mm	Width mm	Length mm
AB, BC	27-28	up to 1200	up to 4500
	38-40		

Gluing: finger-jointing and full staves.

Edge rounding /chamfering possible.

Positive Opinion of National Institute of Hygiene allowing the use of boards in the food industry.

KPPD Szczecinek S.A.





Glulam boards

- **beech (natural lor steamed)**
- **oak**

- KD 8% +/-2%

Quality	Thickness mm	Width mm	Length mm
AB, BC	18-20 27-28 38-40	up to 1200	up to 4500

Gluing: finger-jointing and full staves.

Edge rounding / chamfering possible.

KPPD Szczecinek S.A.







Window sills

- **beech (natural or steamed)**
- **oak**

- natural
- oiled (transparent and opaque oil)


Quality	Thickness mm	Width mm	Length mm
AB, BC	27-28	up to 1200	up to 4500

Edge rounding / chamferig possible.

KPPD Szczecinek S.A.







Shelves


- **beech (natural or steamed)**
- **oak**

- natural
- oiled (transparent and opaque oil)

Quality	Thickness mm	Width mm	Length mm
AB, BC	18-20	up to 1200	up to 4500

Edge rounding and chamfering possible.

KPPD
Szczecinek S.A.







Stair steps

- **beech (natural lor steamed)**
- **oak**
- varnish
- natural
- oiled (transparent or opaque oil)


Quality	Thickness mm	Width mm	Length mm
AB, BC	28-40	up to 1200	up to 4500

Gluing: finger-jointing or full staves

Any shape (CNC – dimension limit) possible.

KPPD Szczecinek S.A.







Gluelam lamella

- **beech (natural or steamed)**
- **oak**

- planed
- glued as required

Quality	Thickness mm	Width mm	Length mm
AB, BB, BC	16-40		up to 6000

Remarks:

Gluing: finger-jointing

Grooves and edge moulding possible.

KPPD Szczecinek S.A.