
KPPD
Szczecinek S.A.

PRODUCT CATALOG ZPD Kołacz










Hardwood sawn timber:

- **beech (natural or steamed)**
- **oak**

- unedged end edged
- fresh and KD
- rough and planed

Quality	Thickness mm	Width mm	Length mm
Class I-III	20, 26, 28, 32	min. opening face 100	2000 - 5000
	38, 50, 68	min. opening face 150	

KPPD Szczecinek S.A.







Hardwood strips:

- **beech (natural lor steamed)**
- **oak**

* fresh
- KD 8% +/-2%
- planed

Quality	Thickness mm	Width mm	Length mm
AB, BC MIX	20, 26, 32, 42, 50	30-80	up to 1600

KPPD Szczecinek S.A.







Hardwood elements:

- **beech (natural or steamed)**
- **oak**

- KD 8% +/-2%
- planed
- chamfered and cut to size

Quality	Thickness mm	Width mm	Length mm
AA, AB as required	20-50	30-200	up to 1600

KPPD
Szczecinek S.A.







Railway sleepers

- **beech (natural or steamed)**
- **oak**

- fresh

Quality	Thickness mm	Width mm	Length mm
as required	140-160	200-260	2000-3100

KPPD Szczecinek S.A.





Sawn timber SCAFFOLD

- **beech (natural lor stemed)**
- **oak**

- KD 10% +/-2%
- planed

Quality	Thickness mm	Width mm	Length mm
Rustic	19	145/195 60 25	2500

KPPD
Szczecinek S.A.









Sawn timber for floorboards

- **beech (natural or steamed)**
- **oak**

- fresh
- planed

Quality	Thickness mm	Width mm	Length mm
as required	27	100-300	1000-2500

KPPD Szczecinek S.A.







Squares

- **beech (natural or steamed)**
- **oak**

- fresh
- planed

Quality	Thickness mm	Width mm	Length mm
as required	100-200	80-200	2000-5000

KPPD Szczecinek S.A.